



## 2010 Ohio Seed Mixtures



| Mix # | Category | Description                                 | Species               | PLS lbs per acre |
|-------|----------|---|-----------------------|------------------|
| 1     | Grass    | CP-1 & 21<br>Mesic-Dry Sites                | Canada Wildrye        | 1.50             |
|       |          |   | Orchard Grass         | 2.00             |
|       |          |   | Timothy               | 2.50             |
|       |          |   | Wild bergamont        | 0.10             |
|       |          |   | False Sunflower       | 0.20             |
|       |          |   | Partridgepea          | 0.30             |
|       |          |   | Illinois Bundleflower | 0.30             |
|       |          |   | Alfalfa               | 0.30             |
|       |          |   | Annual Lespedeza      | 0.30             |
|       |          |   | Grayheaded Coneflower | 0.20             |
|       |          |   | Purple Coneflower     | 0.30             |
|       |          |   | Black-eyed Susan      | 0.10             |
|       |          |   | <b>Total</b>          |                  |
| 2     | Grass    | CP-2, 4D, 21, 29, 33 & 38E-2<br>Wet Sites   | Switchgrass           | 1.25             |
|       |          |   | Canada Wildrye        | 1.75             |
|       |          |   | Big Blue              | 1.75             |
|       |          |   | Swamp Milkweed        | 0.10             |
|       |          |   | Blue Vervain          | 0.10             |
|       |          |   | Canda Tick Trefoil    | 0.20             |
|       |          |   | False Sunflower       | 0.20             |
|       |          |   | New England Aster     | 0.10             |
|       |          |   | Autumn Aster          | 0.10             |
|       |          |   | Cup plant             | 0.10             |
|       |          |   | Purple Coneflower     | 0.20             |
|       |          |   | Black-eyed Susan      | 0.10             |
|       |          |   | <b>Total</b>          |                  |
| 3     | Grass    | CP-2, 4D, 21, 29, 33 & 38E-2<br>Mesic Sites | Little Bluestem       | 2.00             |
|       |          |   | Canada Wildrye        | 1.50             |
|       |          |   | Switchgrass           | 0.50             |
|       |          |   | Wild bergamont        | 0.10             |
|       |          |   | False Sunflower       | 0.20             |
|       |          |   | Partridgepea          | 0.30             |
|       |          |   | Illinois Bundleflower | 0.30             |
|       |          |   | Alfalfa               | 0.30             |
|       |          |   | Annual Lespedeza      | 0.30             |
|       |          |   | Grayheaded Coneflower | 0.20             |
|       |          |   | Purple Coneflower     | 0.30             |
|       |          |   | Black-eyed Susan      | 0.10             |
|       |          |   | <b>Total</b>          |                  |

|          |              |   |                              |             |             |
|----------|--------------|---|------------------------------|-------------|-------------|
| <b>4</b> | <b>Grass</b> | <b>CP-2, 4D, 21, 29, 33 &amp; 38E-2<br/>Dry Sites</b> | <b>Little Bluestem</b>       | <b>2.00</b> |             |
|          |              |   | <b>Sideoats Grama</b>        | <b>1.00</b> |             |
|          |              |   | <b>Indiangrass</b>           | <b>1.00</b> |             |
|          |              |   | <b>Wild bergamont</b>        | <b>0.10</b> |             |
|          |              |   | <b>False Sunflower</b>       | <b>0.20</b> |             |
|          |              |   | <b>Partridgepea</b>          | <b>0.30</b> |             |
|          |              |   | <b>Illinois Bundleflower</b> | <b>0.30</b> |             |
|          |              |   | <b>Alfalfa</b>               | <b>0.30</b> |             |
|          |              |   | <b>Annual Lespedeza</b>      | <b>0.30</b> |             |
|          |              |   | <b>Grayheaded Coneflower</b> | <b>0.20</b> |             |
|          |              |   | <b>Purple Coneflower</b>     | <b>0.30</b> |             |
|          |              |   | <b>Black-eyed Susan</b>      | <b>0.10</b> |             |
|          |              |   | <b>Total</b>                 |             | <b>6.10</b> |

|          |  |   |                           |             |             |
|----------|--|---|---------------------------|-------------|-------------|
| <b>5</b> |  | <b>CP-2 &amp; 38E-2-HEL<br/>Wet Sites</b> | <b>Switchgrass</b>        | <b>1.50</b> |             |
|          |  |   | <b>Canada Wildrye</b>     | <b>2.00</b> |             |
|          |  |   | <b>Big Blue</b>           | <b>2.00</b> |             |
|          |  |   | <b>Swamp Milkweed</b>     | <b>0.10</b> |             |
|          |  |   | <b>Blue Vervain</b>       | <b>0.10</b> |             |
|          |  |   | <b>Canda Tick Trefoil</b> | <b>0.20</b> |             |
|          |  |   | <b>False Sunflower</b>    | <b>0.20</b> |             |
|          |  |   | <b>New England Aster</b>  | <b>0.10</b> |             |
|          |  |   | <b>Autumn Aster</b>       | <b>0.10</b> |             |
|          |  |   | <b>Cup plant</b>          | <b>0.10</b> |             |
|          |  |   | <b>Purple Coneflower</b>  | <b>0.20</b> |             |
|          |  |   | <b>Black-eyed Susan</b>   | <b>0.10</b> |             |
|          |  |   | <b>Total</b>              |             | <b>6.70</b> |

|          |              |   |                              |             |              |
|----------|--------------|---|------------------------------|-------------|--------------|
| <b>6</b> | <b>Grass</b> | <b>CP-2 &amp; 38E-2-HEL<br/>Mesic Sites</b> | <b>Little Bluestem</b>       | <b>4.00</b> |              |
|          |              |   | <b>Canada Wildrye</b>        | <b>3.00</b> |              |
|          |              |   | <b>Switchgrass</b>           | <b>1.00</b> |              |
|          |              |   | <b>Wild bergamont</b>        | <b>0.10</b> |              |
|          |              |   | <b>False Sunflower</b>       | <b>0.20</b> |              |
|          |              |   | <b>Partridgepea</b>          | <b>0.30</b> |              |
|          |              |   | <b>Illinois Bundleflower</b> | <b>0.30</b> |              |
|          |              |   | <b>Alfalfa</b>               | <b>0.30</b> |              |
|          |              |   | <b>Annual Lespedeza</b>      | <b>0.30</b> |              |
|          |              |   | <b>Grayheaded Coneflower</b> | <b>0.20</b> |              |
|          |              |   | <b>Purple Coneflower</b>     | <b>0.30</b> |              |
|          |              |   | <b>Black-eyed Susan</b>      | <b>0.10</b> |              |
|          |              |   | <b>Total</b>                 |             | <b>10.10</b> |

|          |              |   |                              |             |              |
|----------|--------------|---|------------------------------|-------------|--------------|
| <b>7</b> | <b>Grass</b> | <b>CP-2 &amp; 38E-2-HEL<br/>Dry Sites</b> | <b>Little Bluestem</b>       | <b>4.00</b> |              |
|          |              |   | <b>Sideoats Grama</b>        | <b>2.00</b> |              |
|          |              |   | <b>Indiangrass</b>           | <b>2.00</b> |              |
|          |              |   | <b>Wild bergamont</b>        | <b>0.10</b> |              |
|          |              |   | <b>False Sunflower</b>       | <b>0.20</b> |              |
|          |              |   | <b>Partridgepea</b>          | <b>0.30</b> |              |
|          |              |   | <b>Illinois Bundleflower</b> | <b>0.30</b> |              |
|          |              |   | <b>Alfalfa</b>               | <b>0.30</b> |              |
|          |              |   | <b>Annual Lespedeza</b>      | <b>0.30</b> |              |
|          |              |   | <b>Grayheaded Coneflower</b> | <b>0.20</b> |              |
|          |              |   | <b>Purple Coneflower</b>     | <b>0.30</b> |              |
|          |              |   | <b>Black-eyed Susan</b>      | <b>0.10</b> |              |
|          |              |   | <b>Total</b>                 |             | <b>10.10</b> |

|              |            |   |                       |             |
|--------------|------------|---|-----------------------|-------------|
| 8            | Grass      | CP-25 Prairle & Oak Savanna<br>Use on CRP when restroing high quality sites   | Canada Wildrye        | 0.75        |
|              |            |   | Big Bluestem          | 0.75        |
|              |            |   | Little Bluestem       | 1.25        |
|              |            |   | Indiangrass           | 0.50        |
|              |            |   | Sideoats Grama        | 0.50        |
|              |            |   | Switchgrass           | 0.50        |
|              |            |   | Solidago              | 0.10        |
|              |            |   | Butterfly Milkweed    | 0.10        |
|              |            |   | Ohio Spiderwort       | 0.10        |
|              |            |   | Prairie Dock          | 0.20        |
|              |            |   | Blazing Star          | 0.20        |
|              |            |   | Purple Coneflower     | 0.20        |
|              |            |   | Wild bergamont        | 0.20        |
|              |            |   | Black-eyed Susan      | 0.10        |
|              |            |   | New England Aster     | 0.10        |
|              |            |   | Round head Bushclover | 0.20        |
|              |            |   | Grayheaded Coneflower | 0.20        |
|              |            |   | Partridge pea         | 0.20        |
|              |            |   | Golden Alexander      | 0.20        |
|              |            |   | Canada Tick Trefoil   | 0.20        |
|              |            |   | White Wild Indigo     | 0.20        |
| <b>Total</b> |            |   |                       | <b>6.75</b> |
| 9            | Wildflower | CP-2, 4D, 21, 29, 33 & 38E-2<br>Mesic Sites-Good for Interseeding Into existing<br>grass stands to increase diversity | Wild bergamont        | 0.10        |
|              |            |   | False Sunflower       | 0.20        |
|              |            |   | Partridgepea          | 0.30        |
|              |            |   | Illinios Bundleflower | 0.30        |
|              |            |   | Alfalpa               | 0.30        |
|              |            |   | Annual Lespedeza      | 0.30        |
|              |            |   | Grayheaded Coneflower | 0.20        |
|              |            |   | Purple Coneflower     | 0.30        |
|              |            |   | Black-eyed Susan      | 0.10        |
| <b>Total</b> |            |   |                       | <b>2.10</b> |
| 10           | Wildflower | CP-2, 4D, 21, 29, 33 & 38E-2<br>Wet Sites-Good for Interseeding into existing<br>grass stands to increase diversity   | Swamp Milkweed        | 0.10        |
|              |            |   | Blue Vervain          | 0.10        |
|              |            |   | Canda Tick Trefoil    | 0.20        |
|              |            |   | False Sunflower       | 0.20        |
|              |            |   | New England Aster     | 0.10        |
|              |            |   | Autumn Aster          | 0.10        |
|              |            |   | Cup plant             | 0.10        |
|              |            |   | Purple Coneflower     | 0.20        |
|              |            |   | Black-eyed Susan      | 0.10        |
| <b>Total</b> |            |   |                       | <b>1.20</b> |
| 11           | Wildflower | CP25-Forb Mix<br>Use on CRP when restroing high quality sites   | Butterfly Milkweed    | 0.10        |
|              |            |   | Ohio Spiderwort       | 0.10        |
|              |            |   | Prairie Dock          | 0.20        |
|              |            |   | Blazing Star          | 0.20        |
|              |            |   | Purple Coneflower     | 0.20        |
|              |            |   | Wild bergamont        | 0.20        |
|              |            |   | Black-eyed Susan      | 0.10        |
|              |            |   | New England Aster     | 0.10        |
|              |            |   | Round head Bushclover | 0.20        |
|              |            |   | Grayheaded Coneflower | 0.20        |
|              |            |   | Partridge pea         | 0.20        |
|              |            |   | Golden Alexander      | 0.20        |
|              |            |   | Canada Tick Trefoil   | 0.20        |
|              |            |   | Solidago              | 0.10        |
|              |            |   | White Wild Indigo     | 0.20        |
| <b>Total</b> |            |   |                       | <b>2.50</b> |

|              |            |  |   |  |
|--------------|------------|--|---|--|
| 12           | Grass      | CP-1 & 21 CSG Interseeding<br>Use on CRP to add grass component                    | Timothy<br>Orchardgrass   | 1.00<br>1.00   |
| <b>Total</b> |            |  |   | <b>2.00</b>  |
| 13           | Grass      | CP-2, 4D, 21, 29, 33 & 38E-2 WSG Interseeding<br>Use on CRP to add grass component | Switchgrass<br>Littlebluestem   | 1.00<br>1.00   |
| <b>Total</b> |            |  |   | <b>2.00</b>  |
| 14           | Wildflower | CP-2, 4D, 21, 29, 33 & 38E-2 Forb Interseeding<br>Mesic-Dry Sites                  | Alfalfa<br>Annual Lespedeza<br>Blackeyed Susan<br>Crimson Clover<br>Grayhead Coneflower<br>Illinois Bundleflower<br>Lanceleaf Coreopsis<br>Partridgepea | 0.80<br>0.80<br>0.10<br>0.30<br>0.10<br>0.30<br>0.10<br>0.30 |
| <b>Total</b> |            |  |   | <b>2.80</b>  |
| 30           | Legume     | CP-2, 4D, 21, 29, 33 & 38E-2 Forb Interseeding<br>Wet Sites                        | Alsike Clover<br>Blackeyed Susan<br>Crimson Clover<br>Grayhead Coneflower<br>Partridgepea   | 0.30<br>0.10<br>0.50<br>0.20<br>0.30                         |
| <b>Total</b> |            |  |   | <b>1.40</b>  |
| 15           | Legume     | CP-1 & 21 Legume Interseeding<br>All Sites   | Alfalfa<br>Alsike Clover<br>Annual Lespedeza<br>Arrowleaf Clover<br>Crimson Clover<br>Ladino Clover<br>Red Clover                                       | 0.80<br>0.20<br>0.80<br>0.30<br>0.50<br>0.20<br>0.50         |
| <b>Total</b> |            |  |   | <b>3.30</b>  |
| 16           | Grass      | CSG Forage   | Timothy<br>Orchardgrass<br><br>Red Clover<br>Ladino Clover  | 1.50<br>2.50<br><br>4.00<br>1.00                             |
| <b>Total</b> |            |  |   | <b>9.00</b>  |
| 17           | Grass      | WSG Forage   | Big Bluestem<br>Indiangrass<br><br>Illinois Bundleflower<br>Alfalfa   | 3.00<br>3.00<br><br>1.00<br>2.00                             |
| <b>Total</b> |            |  |   | <b>9.00</b>  |

18

Grass

**OH Prairie**  
**Ideal for restoring Prairie**

|                         |      |
|-------------------------|------|
| Sideoats Grama          | 0.40 |
| Switchgrass             | 0.20 |
| Canada Wildrye          | 0.60 |
| Big Bluestem            | 0.50 |
| Indiangrass             | 0.40 |
| Little Bluestem         | 1.20 |
| Sand Dropseed           | 0.05 |
| Prairie Dropseed        | 0.05 |
| Virginia Wildrye        | 0.50 |
| Partridgepea            | 0.30 |
| Blackeyed Susan         | 0.05 |
| Purple coneflower       | 0.15 |
| False sunflower         | 0.06 |
| Grayhead coneflower     | 0.10 |
| Dense Blazing Star      | 0.01 |
| Canada Tick Trefoil     | 0.02 |
| Canada Milkvetch        | 0.03 |
| Roundhead lespedeza     | 0.02 |
| Compass Plant           | 0.02 |
| New England aster       | 0.01 |
| Leadplant               | 0.01 |
| Stiff goldenrod         | 0.01 |
| Golden alexander        | 0.01 |
| Ohio Spiderwort         | 0.01 |
| White False Indigo      | 0.02 |
| Purple Prairieclover    | 0.10 |
| Cup Plant               | 0.01 |
| Wild bergamot           | 0.01 |
| Smooth Blue Aster       | 0.01 |
| Showy Goldenrod         | 0.01 |
| Sneezeweed              | 0.01 |
| Prairie Coreopsis       | 0.01 |
| Butterfly milkweed      | 0.01 |
| Beggar-ticks            | 0.01 |
| Blue Vervain            | 0.02 |
| Common Evening Primrose | 0.05 |
| Prairie Dock            | 0.01 |

|              |  |  |  |             |
|--------------|--|--|--|-------------|
| <b>Total</b> |  |  |  | <b>4.99</b> |
|--------------|--|--|--|-------------|

**19 Wildflower OH Wildflower  
Ideal for Interseeding Prairie**

|                         |      |
|-------------------------|------|
| Partridgepea            | 0.30 |
| Blackeyed Susan         | 0.05 |
| Purple coneflower       | 0.15 |
| False sunflower         | 0.06 |
| Grayhead coneflower     | 0.10 |
| Dense Blazing Star      | 0.01 |
| Canada Tick Trefoil     | 0.02 |
| Canada Milkvetch        | 0.03 |
| Roundhead lespedeza     | 0.02 |
| Compass Plant           | 0.02 |
| New England aster       | 0.01 |
| Leadplant               | 0.01 |
| Stiff goldenrod         | 0.01 |
| Golden alexander        | 0.01 |
| Ohio Spiderwort         | 0.01 |
| White False Indigo      | 0.02 |
| Purple Prairieclover    | 0.10 |
| Cup Plant               | 0.01 |
| Wild bergamot           | 0.01 |
| Smooth Blue Aster       | 0.01 |
| Showy Goldenrod         | 0.01 |
| Sneezeweed              | 0.01 |
| Prairie Coreopsis       | 0.01 |
| Butterfly milkweed      | 0.01 |
| Beggar-ticks            | 0.01 |
| Blue Vervain            | 0.02 |
| Common Evening Primrose | 0.05 |
| Prairie Dock            | 0.01 |

|              |  |  |  |             |
|--------------|--|--|--|-------------|
| <b>Total</b> |  |  |  | <b>1.09</b> |
|--------------|--|--|--|-------------|

**20 Grass OH Savanna Mix  
Ideal for restoring Savanna**

|                                |             |
|--------------------------------|-------------|
| <b>Big Bluestem</b>            | <b>1.00</b> |
| <b>Canada Wildrye</b>          | <b>1.00</b> |
| <b>Indiangrass</b>             | <b>0.30</b> |
| <b>Little Bluestem</b>         | <b>0.80</b> |
| <b>Prairie Dropseed</b>        | <b>0.10</b> |
| <b>Redtop</b>                  | <b>0.02</b> |
| <b>Side Oats Grama</b>         | <b>0.20</b> |
| <b>Switchgrass</b>             | <b>0.20</b> |
| <b>Virginia Wildrye</b>        | <b>0.80</b> |
| <b>Blackeyed Susan</b>         | <b>0.05</b> |
| <b>Blue Vervain</b>            | <b>0.01</b> |
| <b>Butterfly Milkweed</b>      | <b>0.02</b> |
| <b>Canada Tick-trefoil</b>     | <b>0.03</b> |
| <b>Canada Milkvetch</b>        | <b>0.01</b> |
| <b>Common Evening Primrose</b> | <b>0.05</b> |
| <b>Culvers Root</b>            | <b>0.01</b> |
| <b>Dense Blazing Star</b>      | <b>0.01</b> |
| <b>False Sunflower</b>         | <b>0.10</b> |
| <b>Golden Alexander</b>        | <b>0.03</b> |
| <b>Grayhead Coneflower</b>     | <b>0.10</b> |
| <b>New England Aster</b>       | <b>0.01</b> |
| <b>Nodding Pink Onion</b>      | <b>0.01</b> |
| <b>Partridgepea</b>            | <b>0.20</b> |
| <b>Prairie Cinquefoil</b>      | <b>0.02</b> |
| <b>Prairie Coreopsis</b>       | <b>0.02</b> |
| <b>Prairie Dock</b>            | <b>0.01</b> |
| <b>Purple Coneflower</b>       | <b>0.20</b> |
| <b>Purple Prairieclover</b>    | <b>0.20</b> |
| <b>Roundhead Lespedeza</b>     | <b>0.05</b> |
| <b>Sawtooth Sunflower</b>      | <b>0.01</b> |
| <b>Smooth Blue Aster</b>       | <b>0.01</b> |
| <b>Stiff Goldenrod</b>         | <b>0.02</b> |
| <b>White Wild Indigo</b>       | <b>0.05</b> |
| <b>Wild Bergamont</b>          | <b>0.03</b> |

|              |  |  |  |             |
|--------------|--|--|--|-------------|
| <b>Total</b> |  |  |  | <b>5.68</b> |
|--------------|--|--|--|-------------|

**21 Grass Plateau Friendly Grass Mix**

|                              |             |
|------------------------------|-------------|
| <b>Little Bluestem</b>       | <b>2.20</b> |
| <b>Big Bluestem</b>          | <b>0.50</b> |
| <b>Indiangrass</b>           | <b>0.40</b> |
| <b>Side Oats Grama</b>       | <b>0.50</b> |
| <b>Blackeyed Susan</b>       | <b>0.05</b> |
| <b>Crimson Clover</b>        | <b>0.40</b> |
| <b>Grayhead Coneflower</b>   | <b>0.10</b> |
| <b>Illinois Bundleflower</b> | <b>0.60</b> |
| <b>Lanceleaf Coreopsis</b>   | <b>0.30</b> |
| <b>Partridgepea</b>          | <b>0.40</b> |
| <b>Purple Coneflower</b>     | <b>0.40</b> |
| <b>Purple Prairieclover</b>  | <b>0.20</b> |
| <b>Upright Coneflower</b>    | <b>0.15</b> |

|              |  |  |  |             |
|--------------|--|--|--|-------------|
| <b>Total</b> |  |  |  | <b>9.86</b> |
|--------------|--|--|--|-------------|

**22 Wildflower Plateau Friendly Forb Mix**

|                       |      |
|-----------------------|------|
| Blackeyed Susan       | 0.05 |
| Crimson Clover        | 0.40 |
| Grayhead Coneflower   | 0.10 |
| Illinois Bundleflower | 0.60 |
| Lanceleaf Coreopsis   | 0.30 |
| Partridgepea          | 0.40 |
| Purple Coneflower     | 0.40 |
| Purple Prairieclover  | 0.20 |
| Upright Coneflower    | 0.15 |

|              |  |  |  |             |
|--------------|--|--|--|-------------|
| <b>Total</b> |  |  |  | <b>2.60</b> |
|--------------|--|--|--|-------------|

**23 Food Plot Ohio Bird & Buck Perennial Forage**

|               |      |
|---------------|------|
| Alfalfa       | 5.00 |
| Ladino Clover | 2.00 |
| Chickory      | 2.00 |

|              |  |  |  |             |
|--------------|--|--|--|-------------|
| <b>Total</b> |  |  |  | <b>9.00</b> |
|--------------|--|--|--|-------------|

**24 Food Plot Ohio Bird & Buck Fall Draw**

|                   |      |
|-------------------|------|
| Rape              | 2.00 |
| Pasja             | 2.00 |
| Purpletop Turnips | 2.00 |
| Kale              | 2.00 |

|              |  |  |  |             |
|--------------|--|--|--|-------------|
| <b>Total</b> |  |  |  | <b>8.00</b> |
|--------------|--|--|--|-------------|

**25 Food Plot Ohio Dove and Quail Mix**

|                      |      |
|----------------------|------|
| Black Oil Sunflowers | 3.00 |
| Grain Sorghum        | 1.00 |
| Forage Sorghum       | 1.00 |
| Japanese Millet      | 1.00 |
| Proso Millet         | 1.00 |
| German Millet        | 1.00 |

|              |  |  |  |             |
|--------------|--|--|--|-------------|
| <b>Total</b> |  |  |  | <b>8.00</b> |
|--------------|--|--|--|-------------|

**26 Food Plot Ohio Upland Blend**

|                               |      |
|-------------------------------|------|
| Hybrid Grain Sorghum          | 2.00 |
| Hybrid Forage Sorghum         | 1.00 |
| Open Polinated Forage Sorghum | 3.00 |
| Hybrid Pearl Millet           | 1.00 |
| Proso Millet                  | 1.00 |

|              |  |  |  |             |
|--------------|--|--|--|-------------|
| <b>Total</b> |  |  |  | <b>8.00</b> |
|--------------|--|--|--|-------------|

**27 Food Plot Ohio Marsh Mix**

|                     |       |
|---------------------|-------|
| Buckwheat           | 14.00 |
| Japanese Millet     | 5.00  |
| Proso Millet        | 3.00  |
| Hybrid Pearl Millet | 3.00  |

|              |  |  |  |              |
|--------------|--|--|--|--------------|
| <b>Total</b> |  |  |  | <b>25.00</b> |
|--------------|--|--|--|--------------|

**28 Grass Ohio Buck Bedding**

|             |      |
|-------------|------|
| Switchgrass | 6.00 |
|-------------|------|

|              |  |  |  |             |
|--------------|--|--|--|-------------|
| <b>Total</b> |  |  |  | <b>6.00</b> |
|--------------|--|--|--|-------------|

**29 Grass Cover Crop**

|      |       |
|------|-------|
| Oats | 14.00 |
|------|-------|

|              |  |  |  |              |
|--------------|--|--|--|--------------|
| <b>Total</b> |  |  |  | <b>14.00</b> |
|--------------|--|--|--|--------------|